

Oxygen Nanobubble Platform


A SERIES – OUTDOOR-RATED



1. O2 Mini – 0-10 LPM 90-93% O2 at 20 psi
2. A-Series Control Panel
3. 1.5 HP Variable Speed Pump 190-380 LPM
4. Removable Access Panel
5. 2" Schedule 80 Ball Valve
6. 48" x 24" Pallet Mounted Equipment
7. Stainless Steel 1" Ratchet Strap

Oxygen Nanobubble Platform

A SERIES – OUTDOOR-RATED



1. 2" 316L Stainless Steel NBG – Quick Clamps Adapters
2. ¼" Tubing Oxygen Flow Line with Inline Check Valve
3. 2" NPT Bypass Port – Plug installed
4. Hard Mount for 2" Schedule 80 PVC
5. 2" Schedule 80 Ball Valve
6. Pallet Mounted Equipment

Oxygen Nanobubble Platform

A SERIES – OUTDOOR-RATED



1. 3-Prong Power Plug for O2 Mini
2. 1.5 HP Variable Speed Pump Power Plug
3. ¼" Tubing Oxygen Outlet – Push-to-Connect
4. Water-Purge Port for Internal Dryers
5. Stainless Steel 1" Ratchet Strap

Oxygen Nanobubble Platform


A SERIES – OUTDOOR-RATED



1. O2 Mini – 0-10 LPM 90-93% O2 at 20 psi
2. A-Series Control Panel
3. 1.5 HP Variable Speed Pump 190-380 LPM
4. Vent Ports for O2 Mini (4x)
5. Rear Vented Panel
6. 48" x 24" Pallet Mounted Equipment
7. Stainless Steel 1" Ratchet Strap

Oxygen Nanobubble Platform

A SERIES – OUTDOOR-RATED



1. Control Switch for Circulation Only Mode or Full System (Circulation and Oxygen)
2. Oxygen Pressure Regulator
3. Compressor Air Pressure Gauge
4. Oxygen Pressure Gauge
5. Adjustable Flow Meter 0-10 LPM
6. Polycarbonate Clear Protective Cover
7. Stainless Steel Cover Latch

Oxygen Nanobubble Platform

A SERIES – OUTDOOR-RATED



1. Ultra-strong team carry handles
2. Four polyurethane wheels with stainless steel ball bearings for easy transportation
3. Two Stage retractable handle
4. Compressor Outlet Vent Ports (3x)
5. Inlet Air Vent ports (4x)
6. O2 Mini Control Panel